	Hits	Search Text	DBs
1	3706	database\$1 and (rule\$1 or ((manner\$1 or way\$1) near5 communication\$1)) and server\$1 and ((internet or network\$4 or web) near5 site\$1) and ((convert\$5 or translat\$5) with data)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
2	1659	l1 and (@ad < "20010510")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
3	762	l2 and ((unique near5 (identifier\$1 or id\$1 or key\$1)) or (primary adj key\$1))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB
4	717	l3 and (instruct\$5 or notif\$6)	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; IBM_TDB
5	505	l4 and (((secured or protected) with access\$5) or authenticat\$5)	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; IBM_TDB
6	29382	((709/203) or (709/200) or (709/102) or (709/103) or (709/340) or (709/230) or (709/232) or (707/1-10) or (707/100-104.1) or (370/329) or (370/229) or (370/235) or (379/93.09) or (379/93.11) or (379/100.171)).CCLS.	US-PGPUB
7	0	l7 and (recipient\$l or receiver\$l or (receiv\$4 adj part\$3)) and ((initiat\$4 adj part\$3) or sender\$l)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB

	Hits	Search Text	DBs
8	0	17 and (recipients) or	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; IBM_TDB
9		l7 and ((initiat\$4 adj part\$3) or sender\$1)	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; IBM_TDB
10	81	15 and 16	USPAT; US-PGPUB; ; EPO; JPO; DERWENT; IBM_TDB